Penstar

PRICE BOOK January 2025



Penstar, Rhoshill, Cardigan, SA43 2TX

Tel: 01239-841458 Fax: 01239-393393 SMS Text: 01239-393393 info@penstar.co.uk

www.penstar.co.uk

Scan the QR code to check current prices:



We can solve your water, sewage & effluent problems.

The **Penstar** range of suppliers is virtually unlimited and so we are able to make recommendations based on the best pump for the application.

We supply our own range of pumps and in addition we are distributors or stockists for many major pump manufacturers i.e. Grundfos, Xylem Lowara, Xylem Flygt, Espa, Ebara, Mono, ABS, Robbins & Myers, KSB, Calpeda, CAT.

*We are offering a 2 year warranty on many of the pumps in our own range, at a small extra charge - see price details.



WATER SUPPLY

Pumping systems for wells, boreholes or storage tanks, controlled by pressure set, constant pressure control, float switch or timer panel.

Single or dual booster sets for pressurisation of mains or private water for industrial, agricultural an domestic applications.



BOREHOLES

The complete borehole service including drilling, installation of pumping system, any necessary water treatment and, where required, licence applications.



WASHDOWN

Systems for dairies, vehicle wash or industrial use, including distribution pipework and hoses.



WATER TREATMENT

Full range of treatment systems for purification and chemical treatment including chemical dosing pumps.

Routine service including replacement of consumable parts to ensure the system continues to function properly.



SEWAGE AND EFFLUENT

Pumping stations to transfer raw sewage to the mains drain or a treatment plant and sewage effluent to a soakaway.

Package sewage treatment plant.

Also transfer pumps for farm or industrial effluent.



IRRIGATION

Pumping systems for golf courses, bowling greens, market gardens, lawns etc. with automatic irrigation control.

Full range of standard and commercial sprinklers and irrigators.

Also dirty water irrigation (low rate) on farms

Much of the equipment listed on the following pages is held in stock at our premises.

Unless otherwise stated, all equipment is single phase but three phase is available on request.

ALL PRICES ARE SUBJECT TO VAT AT THE CURRENT RATE.

Prices quoted are current as per the front cover sheet date.

The prices and specifications in this leaflet are subject to change without notice.

Page No.

- 4 Self-Priming Pumps
- 5 Peripheral Pumps, End Suction Pumps
- 6 Horizontal Multistage Pumps
- 7 Vertical Multistage Pumps
- 8 Constant Pressure Pumps, Swimming Pool Pumps
- 9 Boreholes
- 13 Booster Sets
- 17 Rainwater Harvesting Systems
- 18 Washdown Systems
- 20 Drainage Pumps
- 21 Sewage Pumping
- 25 Sewage Treatment
- 26 Control Equipment
- 30 Water Treatment
- 35 Irrigation Equipment
- 36 Pipe Fittings
- 37 Valves





Penstar Ec	Penstar Economy Range 7								
Model	Material	kW	Max. Head	Max Flow	PRICE	Extended			
			m	l/min		Warranty*			
JM60	Cast iron	0.45	40	50	£260.00	39			
JM100	Cast iron	0.75	45	60	£266.00	39.9			
JX80	Stainless steel	0.6	42	40	£267.00	40.05			
JX100	Stainless steel	0.75	45	60	£270.00	40.5			







Pentax Sel	Pentax Self-priming Pumps 7								
Model		kW	Max. Head m	Max Flow I/min	PRICE	Extended Warranty*			
CAB150	Cast iron	1.1	61	90	£620.00	93			
CAB200	Cast iron	1.65	63	110	£627.00	94.05			
CAB300	Cast iron	2.2	65	140	£818.00	122.7			
MPX100	Stainless steel	0.74	45.5	80	£418.00	62.7			
MPX120	Stainless steel	0.88	56	80	£432.00	64.8			

Ebara Cast Iron self-priming pumps – POA

Lowara Stainless Steel self-priming pumps – POA

Penstar Solids Handling Pumps						
Model		kW	Max. Head m	Max Flow I/min	PRICE	
ORA-2	Cast iron	1.5	18	450	£851.00	



Other sizes available - POA

Penstar Transfer Pumps 7							
Model		kW	Max. Head	Max Flow	PRICE		
			m	l/min			
TPM25	Bronze	0.44	12	40	£242.00		
TPM25CE	Bronze	0.6	25	41	£1.00		
TPM30	Bronze	0.75	15	83	£331.00		



Penstar

Peripheral Pumps

With Cast Iron Body 7								
Model	kW	PRICE						
		m	l/min					
Penstar PM60	0.37	38	35	£120.00				
Lowara PM21	0.37	47	40	£732.00				
Lowara PM30	0.5	57	50	£971.00				
Lowara PM40	0.6	62	50	£1,132.00				
Lowara PM60	1.1	77	62	£1,473.00				
Lowara PM70	0.75	103	35	£1,864.00				



End-Suction Pumps

Penstar Cas	Penstar Cast Iron Pump 7								
Model	kW	Max. Head Max Flow Max Flow		PRICE					
CM50	0.37	22	90	£244.00					
CM100	0.75	32	100	£300.00					
CM160	1.1	36	170	£465.00					
CB200	1.5	58	180	£571.00					
CH150	1.1	25	500	£527.00					
CH200	1.5	29	500	£549.00					
CH300	2.2	33	500	£961.00					





Ebara Cast Iron end-suction pumps – POA

Ebara Pump	s with \$	Stainless S	teel Body	6
Model	kW	Max. Head	Max Flow	PRICE
		m	l/min	
CDXM70/05	0.37	21	90	£635.00
CDXM70/07	0.55	28	80	£646.00
CDXM90/10	0.75	31	110	£825.00
CDXM120/07	0.55	21	180	£913.00
CDXM120/12	0.9	30	160	£1,023.00
CDXM120/20	1.5	38	160	£1,212.00
CDXM200/12	0.9	21	250	£1,081.00
CDXM200/20	1.5	31	250	£1,216.00
2CDXM70/10	0.75	39	80	£854.00
2CDXM70/12	0.9	45	80	£916.00
2CDXM70/15	1.1	53	80	£973.00
2CDXM70/20	1.5	60	80	£1,050.00
2CDXM120/15	1.1	42	150	£1,116.00



Page 5

Horizontal Multistage Pumps

Penstar Cast Iron/Stainless Steel Body 7								
Model	kW	kW Max. Head Max Flow PRICE						
		m	l/min		Warranty*			
STO200	1.5	68	160	£757.00	113.55			
STO300	2.2	74	160	£969.00	145.35			



Penstar Stainless Steel Body 7								
Model	kW	Max. Head Max Flow PR		PRICE	Extended			
		m	l/min		Warranty*			
Ultra3-5	0.75	55	80	£395.00	59.25			
Ultra3-7	1.1	80	80	£656.00	98.4			
Ultra5-4	0.9	45	140	£399.00	59.85			
Ultra5-5	1.1	57	140	£567.00	85.05			
Ultra5-7	1.5	81	140	£680.00	102			
Ultra7-5	1.85	60	170	£609.00	91.35			
Ultra7-6	2.2	72	170	£891.00	133.65			
Ultra9-5	1.85	60	240	£646.00	96.9			



Lowara HM pumps – POA

Vertical Multistage Pumps

Penstar Stainl	Penstar Stainless Steel units 6						
Model	kW	Max. Head	Max Flow	PRICE	Extended		
		m	l/min		Warranty*		
VS2-11	1.1	98	58	£1,425.00	213.75		
VS2-15	1.5	134	58	£1,703.00	255.45		
VS2-22	2.2	197	58	£1,931.00	289.65		
VS4-8	1.5	74	133	£1,592.00	238.8		
VS4-12	2.2	114	133	£1,743.00	261.45		
VS8-6	2.2	62	200	£1,904.00	285.6		
VS8-8-3~	3	83	200	£2,196.00	329.4		
VS8-10-3~	4	104	200	£2,681.00	402.15		
VS8-15-3~	5.5	155	200	£3,560.00	534		
VS16-4-3~	4	56	366	£2,378.00	356.7		
VS16-6-3~	5.5	84	366	£2,979.00	446.85		
VS16-8-3~	7.5	112	366	£3,372.00	505.8		
VS20-10-3~	11	137	466	£4,767.00	715.05		



Penstar

Penstar unit with plastic impellers 7								
Model	lodel kW Max. Head Max Flow PRICE				Extended			
		m	l/min		Warranty*			
Ultra L5-10	2.2	112	140	£1,109.00	166.35			
Ultra L5-11	2.57	122	140	£1,162.00	174.3			
Ultra L7-5	1.85	62	170	£745.00	111.75			
Ultra L7-6	2.2	75	170	£995.00	149.25			



Lowara Stair	Lowara Stainless Steel units 6							
Model	kW	Max. Head	Max Flow	PRICE				
		m	l/min					
1SV15	0.75	90	40	£1,794.00				
1SV22	1.1	135	40	£2,256.00				
1SV30	1.5	181	40	£2,901.00				
1SV37	2.2	225	40	£3,405.00				
3SV07	0.75	52	73	£1,571.00				
3SV10	1.1	76	73	£1,830.00				
3SV13	1.5	98	73	£2,330.00				
3SV19	2.2	145	73	£2,683.00				
5SV07	1.1	53	141	£2,084.00				
5SV09	1.5	68	141	£2,374.00				
5SV13	2.2	98	141	£2,640.00				



Grundfos Sta	Grundfos Stainless Steel/Cast Iron units 3						
Model	kW	Max. Head m	Max Flow I/min	PRICE			
CRI 1-15	0.75	90	45	£1,643.00			
CRI 1-23	1.1	138	45	£2,181.00			
CRI 1-30	1.5	180	45	£2,810.00			
CRI 1-36	2.2	220	45	£3,298.00			
CRI 3-10	0.75	65	74	£1,485.00			
CRI 3-15	1.1	98	74	£1,889.00			
CRI 3-19	1.5	125	74	£2,374.00			
CRI 3-29	2.2	190	74	£2,960.00			
CRI 5-10	1.5	68	140	£2,019.00			
CRI 5-16	2.2	108	140	£2,510.00			



(Grundfos prices exclude counter flanges)

Other sizes are available in all ranges – POA

Penstar

Swimming Pool Pumps

Penstar Swimming Pool Pumps 7						
Model	kW	Max. Head	Max Flow	PRICE		
		m	l/min			
MICRO50	0.37	12	200	£289.00		
MINI50	0.37	15	233	£511.00		
MINI100	0.75	17	320	£558.00		
PP19	0.75	17	340	£276.46		
PP24	1.1	18	440	£299.69		
PP28	1.5	19	540	£321.07		



Ebara Swimming Pool Pumps 6							
Model	Model kW		Max Flow	PRICE			
		m	l/min				
SWS50M	0.33	12	233	£548.00			
SWS75M	0.55	15	267	£566.00			
SWS100M	0.75	15	300	£576.00			
SWT75M	0.55	14	325	£651.00			
SWT100M	0.75	16	387	£716.00			
SWT150M	1.1	18	450	£778.00			
SWT200M	1.5	18	500	£863.00			
SWT300M	2.2	20	567	£1,067.00			








BOREHOLE WATER SUPPLY SYSTEMS

- Replace or supplement an inadequate present supply.
- Save the cost of mains water.
- Ideal water supply to serve farms, irrigation systems, residential complexes and industry.
- Upgrade to a fully pressurised water supply.





THE COMPLETE SERVICE

We provide your borehole water supply:

- A reliable divining and drilling service, we can obtain geological reports if necessary.
- Carry out site tests to establish yield and water quality, if required.
- Design a complete pumping and control system, to meet your needs.
- Supply all necessary pumping and control equipment.
- Provide a full installation and commissioning service.

When the need arises, we can also:

- We can liaise with the Environment Agency on your behalf if required, and submit drilling consents and abstraction licence applications for your new water supply.
- Design, supply, install and commission any water treatment that may be necessary to provide a highquality drinking water supply.
- In the unlikely event of system difficulties, our trained technicians provide specialist on-site service, backed by our workshop testing and repairs facility and large stock of pump spares.

Borehole Pumps

Penstar

Penstar PS 3" Borehole Pumps

Ideal for smaller diameter boreholes or for where the liner is damaged. Price includes motor control box.

Model	kW	Max. Head	Max Flow	PRICE
		m	l/min	
PS15	0.37kW	46	45	£807.00
PS23	0.55kW	70	45	£911.00
PS30	0.75kW	92	45	£994.00

Also: Grundfos SQ range of compact 3" pumps with a built-in electronic frequency inverter & dry-run protection.

Do not require separate control box - P.O.A.

Penstar ST 4" Borehole Pumps

Fitted with plastic impellers and a water-cooled motor to provide an economic option for domestic and agricultural systems.

Single phase price includes motor control box. Model kW Max. Head Max Flow PRICE Extended								
Model	KVV	Max. Head m	Max Flow I/min	PRICE	Extended Warranty*			
ST05-13	0.37kW	86	25	£722.00	108.3			
ST05-19	0.55kW	126	25	£796.00	119.4			
ST05-26	0.75kW	173	25	£917.00	137.55			
ST10-07	0.37kW	46	50	£689.00	103.35			
ST10-10	0.55kW	69	50	£767.00	115.05			
ST10-14	0.75kW	92	50	£831.00	124.65			
ST10-20	1.1kW	139	50	£914.00	137.1			
ST10-28	1.5kW	189	50	£1,112.00	166.8			
ST13-11	0.75kW	72	70	£762.00	114.3			
ST13-16	1.1kW	106	70	£853.00	127.95			
ST13-21	1.5kW	142	70	£969.00	145.35			
ST13-32	2.2kW	208	70	£1,239.00	185.85			
ST18-18	1.5kW	120	100	£981.00	147.15			
ST18-27	2.2kW	175	100	£1,235.00	185.25			
ST25-08	0.75kW	51	110	£774.00	116.1			
ST25-12	1.1kW	77	110	£873.00	130.95			
ST25-16	1.5kW	102	110	£997.00	149.55			
ST25-24	2.2kW	151	110	£1,259.00	188.85			
ST25-32- 3~	3.0kW	203	110	£1,584.00	237.6			
ST35-07	0.75kW	42	150	£750.00	112.5			
ST35-10	1.1kW	62	150	£849.00	127.35			
ST35-14	1.5kW	90	150	£981.00	147.15			
ST35-20	2.2kW	125	150	£1,218.00	182.7			
ST35-27- 3~	3.0kW	169	150	£1,551.00	232.65			
ST35-36- 3~	4.0kW	221	150	£1,847.00	277.05			



Penstar SP 4" Borehole Pumps 7								
Stainless steel with water cooled motor. Price includes control box. Model kW Max. Head Max Flow PRICE Extended								
Model	KVV	m m	l/min	PRICE	Warranty*			
SP05-14	0.37kW	82	25	£966.00	144.9			
SP05-21	0.55kW	121	25	£1,179.00	176.85			
SP05-28	0.75kW	162	25	£1,382.00	207.3			
SP10-09	0.37kW	53	40	£821.00	123.15			
SP10-13	0.55kW	77	40	£952.00	142.8			
SP10-18	0.75kW	106	40	£1,091.00	163.65			
SP10-23	1.1kW	136	40	£1,272.00	190.8			
SP10-28	1.5kW	166	40	£1,456.00	218.4			
SP18-12	0.75kW	78	70	£983.00	147.45			
SP18-18	1.1kW	117	70	£1,174.00	176.1			
SP18-25	1.5kW	162	70	£1,412.00	211.8			
SP18-33	2.2kW	212	70	£1,839.00	275.85			



Grundfos SP 4" Borehole Pumps 3							
These pumps have provided reliable service for years. Control box is extra.							
Model	kW	Max. Head	Max Flow	PRICE			
		m	l/min	Pump	C/Box		
SP1A/14	0.37kW	80	25	£1,195.00	£210.00		
SP1A/21	0.55kW	120	25	£1,352.00	£240.00		
SP1A/28	0.75kW	160	25	£1,513.00	£279.00		
SP2A/6	0.37kW	35	45	£1,045.00	£210.00		
SP2A/9	0.37kW	52	45	£1,097.00	£210.00		
SP2A/13	0.55kW	76	45	£1,234.00	£240.00		
SP2A/18	0.75kW	106	45	£1,356.00	£279.00		
SP2A/23	1.1kW	135	45	£1,525.00	£372.00		
SP2A/28	1.5kW	165	45	£1,750.00	£465.00		
SP3A/12	0.75kW	72	70	£1,383.00	£279.00		
SP3A/18	1.1kW	110	70	£1,585.00	£372.00		
SP3A/25	1.5kW	152	70	£1,867.00	£465.00		
SP3A/33	2.2kW	205	70	£2,925.00	£534.00		



Waterproof Cable (4-core H07-RNF)

Core Size	PRICE
	Per metre
1.5mm ²	£5.00
2.5mm²	£6.00
4.0mm²	£10.00
6.0mm²	£13.00

Lowara GS 4" Borehole Pumps

Water cooled motor, stainless steel construction, food grade polycarbonate and fibreglass resin impellers and diffusers. Price includes motor control box.

Model	kW	Max. Head	Max Flow	PRICE
		m	l/min	
1GS03	0.37kW	79	22	£758.00
1GS05	0.55kW	119	22	£806.00
1GS07	0.75kW	159	22	£926.00
2GS02	0.37kW	33	50	£780.00
2GS03	0.37kW	47	50	£823.00
2GS05	0.55kW	67	50	£886.00
2GS07	0.75kW	93	50	£1,024.00
2GS11	1.1kW	133	50	£1,113.00
2GS15	1.5kW	187	50	£1,343.00
4GS07	0.75kW	60	90	£955.00
4GS11	1.1kW	94	90	£1,199.00
4GS15	1.5kW	127	90	£1,476.00
4GS22	2.2kW	181	90	£1,754.00



Mono Subrotor 4" Borehole Pumps

This pump is a progressing cavity rotor/statorand is particularly suitable for boreholes with silt, sand or ochre content as it is less prone to blockage.

Model	kW	Max. Head	Max Flow	PRICE	
		m	l/min	Pump	C/Box
SM022	0.75kW	150	20	£1,367.00	£125.00
SM041	0.75kW	75	40	£1,322.00	£125.00
SM042	1.5kW	150	40	£1,490.00	£129.00
SM061	1.1kW	75	60	£1,414.00	£127.00
SM062	2.2kW	150	60	£1,707.00	£166.00
SM101	1.5kW	75	96	£1,950.00	£129.00
SM102	2.2kW	150	96	£0.00	£166.00
SM151	2.2kW	75	120	£2,334.00	£166.00



Submersible Well Pumps

Penstar 4PN20 4" Submersible Pumps 7						
Model kW Max. Head Max Flow PRICE						
		m	1/111111			
4PN20	0.75kW	61	45	£369.00		
4PN2011	1.1kW	99	45	£383.00		





BOOSTER SETS

- ■Pressurisation of mains or private water for Hotels & Holiday Complexes
- ■Agricultural Water Supply from Wells or Boreholes
- ■Domestic Water Supply from Wells or Boreholes
- ■Packages Sets for Pressurisation of Industrial Water Supplies
- ■Variable speed systems for energy saving and precise control
- ■Multiple Pump Systems with programmable control



Flow Demand Systems:

A single pump can be operated using a Presscontrol electronic regulator to switch the pump and provide dry-run (no-flow) protection.

Fixed Speed Pressure Set:

A conventional pressure set provides on/off control using a pressure switch, with a vessel to provide some storage.

The larger the pressure vessel that is used, the less frequently the pump switches on and off.



We offer these systems with a variety of pumps ranging from the domestic self-priming units to the vertical multistage sets.

We also offer systems with 2 or more pumps, set so that if 1 pump fails to meet the demand a second pump will start, alternating to even wear.

Variable Speed Pumping Sets:

An advance on conventional on/off control uses a pressure transducer and inverter drive to vary the operating speed of the pump(s) and provide a constant pressure system.

This provides a better control on the system with little or no variation in pressure.

Considerable savings can be achieved if variable speed dual and larger units are used when the demand on the system is variable, eg in a holiday or residential complex.



Single Pump Booster Sets

Penstar

Controller to switch on the pump at 6bar and switch off when the flow stops.

Economy unit as standard.

The vessel is fitted on top of the pump with pressure switch to operate the pump

between 2 set points.

80I pressure set

The vessel is fitted under the pump with pressure switch to operate the pump

between 2 set points.

300l pressure set

The vessel stands alongside the pump with pressure switch to operate the pump

between 2 set points.

Variable speed Inverter control with pressure transducer and small vessel, to provide a constant

pressure system.

Single Phase Domestic Pumps			6		6	5	
	Motor	Maxi	imum			ıre Set	Variable
PUMP	kW	Litres /min	Pressure bar	Flow Demand		***80I	Speed
				Controller	**24l Vertical		•
PM60	0.37	35	3.0	£187	£301		pmmended
JM60	0.45	40	4.0	£327	£425	£608	n/a
JM100	0.75	50	5.0	£329	£427	£610	£1,053
JX80	0.6	55	3.7	£334	£448	£631	n/a
JX100	0.75	50	5.0	£337	£451	£634	n/a
MPX100	0.74	80	4.5	n/a	£599	£782	n/a
MPX120	0.88	80	6.0	n/a	n/a	£796	n/a
Horizontal	Pumps			6	5	6	5
	Motor	Maxi	imum	Single	phase	Three	phase
PUMP	kW	Litres /min	Pressure bar	Pressure set	Variable	Pressure set	Variable
				801***	Speed	801***	Speed
JCAB150	1.1	90	6.0	£1,120	£1,611	£1,101	£1,643
JCAB200	1.5	110	6.2	£1,127	£1,620	£1,110	£1,652
Ultra 3-5	0.75	80	5	£759	£1,303	£886	£1,437
Ultra 3-6	0.9	80	6	£803	£1,420	£930	£1,452
Ultra 3-7	1.1	80	7.5	£1,020	£1,622	£1,032	£1,654
Ultra 5-5	1.1	140	5.6	£931	£1,533	£943	£1,565
Ultra 5-7	1.5	140	8	£1,044	£1,637	£1,047	£1,669
Ultra 7-6	2.2	170	7.4	£1,264	£1,727	£1,121	£1,858
STO200	1.5	160	6.2	£1,276	£1,753	£1,263	£1,785
Vertical Pu	mps			6 5		6	
	Motor	Maxi	imum	Single	phase	Three	phase
PUMP	kW	Litres /min	Pressure bar	Pressure set	Variable	Pressure set	Variable
				3001	Speed	3001	Speed
VS2-11	1.1	58	10.2	£2,292	£2,279	£2,263	£2,311
VS2-15	1.5	58	14.2	£2,598	£2,438	£2,474	£2,470
VS4-8	1.5	133	7.5	£2,432	£2,506	£2,432	£2,538
VS4-12	2.2	133	11.5	£2,635	£2,718	£2,599	£2,849
VS8-06	2.2	200	6.5	þ	£2,853	p	£2,984
VS8-08	3	200	8.5	nd	£3,360	nd	£3,319
VS8-10	4	200	11	Ше	£3,834	ше	£3,793
VS8-15	5.5	200	15.5	E E	n/a	Ē	£4,874
VS16-4	4	366	5.5	ecc ecc	£3,576) GC	£3,535
VS16-6	5.5	366	8.5	Not recommended	n/a	Not recommended	£4,406
VS16-8	7.5	366	11	ž	n/a	Ž	£4,875

Kits include non-return valve

Vertical vessels

60 litre less £40.00 150 litre plus £140.00 300 litre plus £413.00

Note: we do not recommend pressure sets for these pumps but they can be supplied on request.

^{*}Includes economy unit for standard Presscontrol unit add £30.00

^{**}For 24l Horizontal set add £22.00

^{***}Can be supplied with other sizes of vessel:

Dual Pump Booster Sets

Penstar manufactures a range of dual pump booster sets to provide security of supply and meet variable water demand, with 3 control options-

Standard panel- Conventional fixed speed on/off control with automatic pump

sequencing & alarm functions

Inverter drive- Variable speed pump operation to provide a constant system

pressure, with automatic pump sequencing & alarm functions

All systems are supplied with a separate alarm beacon to give an

indication that there is a fault.

We can supply the standard & inverter drive systems with a pager unit to provide a text message in the event of an alarm condition.

All our booster sets are mounted on a base plate with suction & discharge manifolds, controls & 24 litre pressure vessel(s).

Where indicated *, 2 pressure vessels as used for the pressure sets to prevent the pumps switching on & off too frequently

PUMP	Motor	Maxi	mum	Single	phase	Three	phase	Additional
1 Own	kW	I/min per pump	Pressure bar	Fixed Speed	Variable Speed	Fixed Speed	Variable Speed	Pager
Horizontal p	umps							
Ultra 3-5	0.75	80	5	£2,510	£3,375	£2,836	£3,543	£395.00
Ultra 3-6	0.9	80	6	£2,598	£3,555	£2,924	£3,844	£395.00
Ultra 3-7	1.1	80	7.5	£3,032	£3,959	£3,328	£4,248	£395.00
Ultra 5-5	1.1	140	5.6	£2,854	£3,781	£3,150	£4,070	£395.00
Ultra 5-7	* 1.5	140	8	£3,080	£3,989	£3,358	£4,278	£395.00
Ultra 7-6	* 2.2	170	7.4	£3,618	£4,167	£3,078	£4,414	£395.00
STO200	* 1.5	160	6.2	£3,399	£4,261	£3,699	£4,550	£395.00
Vertical pum	ips							
Ultra V5-10	* 2.2	140	11	£3,982	£4,615	£3,840	£4,862	£395.00
Ultra V5-11	* 3	140	12	£4,088	£5,678	£4,182	£5,314	£395.00
VS2-11	* 1.1	58	10.2	£4,293	£5,248	£4,561	£5,537	£395.00
VS2-15	* 1.5	58	13	£4,775	£5,553	£4,853	£5,842	£395.00
VS4-8	* 1.5	133	7.5	£4,698	£5,586	£5,024	£5,875	£395.00
VS4-12	* 2.2	133	11.5	£5,000	£6,003	£4,771	£6,250	£395.00
VS8-06	* 2.2	200	6.5		£6,302		£6,549	£395.00
VS8-08	* 3	200	8.5	qeq	£7,693	qeq	£7,329	£395.00
VS8-10	* 4	200	11	nen	£8,641	nen	£8,277	£395.00
VS8-15	* 5.5	200	15.5	ömr	n/a	omr	£10,302	£395.00
VS16-4	* 4	366	5.5	Not recommended	£8,392	Not recommended	£8,028	£395.00
VS16-6	* 5.5	366	8.5	Not	n/a	Not	£9,646	£395.00
VS16-8	* 7.5	366	11		n/a		£10,555	£395.00

Our kits include:



Tank inlet filter (cleanable)
Calmed inlet inside the tank
Overflow siphon





Submersible stainless steel pump

60litre pressure set with isolation valve Control panel with programmable module Mains water inlet on low level



Pump discharge in rigid ABS with connections for 32mm MDPE pipe

Pressure set connections - 32mm MDPE inlet & 22mm copper outlet

Together with a choice of polyethylene tanks for underground or above ground installation-

Please contact Penstar for a quotation for a concrete, grp or larger polyethylene tank.

		Tank		
	Capacity	Diameter	Height	Price
	litres	mm	mm	
Kit only without tank				£1,930
Kit with	1260	1000	1600	£2,610
Polyethylene Storage Tank	1580	1000	2000	£2,603
Suitable for underground installation	2000	1000	2860	£12,135
	3000	1000	4000	£3,867
Kit with	2500	1400	1800	£2,455
Polyethylene Storage Tank	4000	1900	1650	£2,745
For above ground use.	5000	1900	2300	£2,845
	7000	2400	1820	£3,045
	8500	2600	2063	£3,125
	9500	2440	2500	£3,265
	12000	2600	2600	£3,445
	16000	2600	3350	£4,125
	20000	2600	4150	£4,345
Optional filtration equipment:	Gauze filter	kit for coarse	filtration	£60
	High capacit	y LD filter kit		£165
	30l/min Steri	iliser kit with f	ilter	£474
	50l/min Steri	iliser kit with f	ilter	£611



WASHDOWN SYSTEMS



WASHDOWN PUMPS

Penstar offer a variety of pumps for washdown systems on farms or for industrial applications.

These range from a simple horizontal multistage unit with basic control to high flow vertical multi-pump systems with variable speed operation.





PACKAGE SETS

Penstar manufacture pre-assembled, self-contained washdown sets, to provide a pressurised water supply through a trigger gun for a variety of applications.

Many of the systems use inverter control to vary the operating speed of the pump to maintain a constant pressure when the demand varies.

Where required, a dual pump system can be supplied with duty/spare pump and automatic sequencing.

For a compact unit for use outdoors, the enclosed washdown sets are assembled within a GRP kiosk.

INSTALLATION

We offer a full installation service, including distribution pipework with several take-off points, including system commissioning.

This is backed up by our maintenance service.

Horizontal Multistage Pumps:

ULTRA Pentax pumps - stainless steel body & technopolymer impellersCAB300 Pentax self-priming pump -cast iron & technopolymer impellers.

STO From the Penstar range, cast iron body, stainless steel casing & impellers

Pump	KW	Maximum	Maximum	PRICE		
		litres/min	Pressure	Pump Only	Single Kit	Dual Kit
ULTRA5-5	1.10	140	5.6 bar	£567	£872	£1,775
ULTRA5-7	1.50	140	8 bar	£680	£985	£2,001
ULTRA7-6	2.20	170	7.5 bar	£891	£1,196	£2,423
CAB300	2.20	120	6.3 bar	£818	£1,123	£2,277
STO200	1.50	160	6 bar	£757	£1,062	£2,155
STO300	2.20	35gpm	7 bar	£969	£1,274	£2,579

Horizontal multistage single pump kits include press-control with plug & lead, non-return valve, quick-release discharge couplings, 10m hose & power wash gun.

Dual Systems are assembled on a base plate & include connection pipework & non-return valves for 2 pumps, 24 litre pressure vessel & switches for connection to a distribution main or hose.

Prices are for single phase pumps – three phase P.O.A.

Vertical Multistage Pumps:

ULTRAV Pentax models with technopolymer impellersVS Range Penstar industrial pumps with stainless steel wetted parts

Pump	KW	Maximum	Maximum	PRICE		
		litres/min	Pressure	Pump Only	Basic Kit	Inverter Kit
ULTRAV5L-8	1.85	140	9.1 bar	£850	£1,281	£1,940
ULTRAV7L-6	2.20	170	7.5 bar	£995	£1,426	£2,085
VS4-8	1.50	133	8bar	£1,592	£2,023	£2,680
VS4-12	2.20	133	12bar	£1,743	£2,316	£3,018
VS8-6	2.20	200	6.3bar	£1,904	£2,335	£2,994
VS8-8*	3.00	200	8.5bar	£2,196	n/a	£3,168
VS8-10*	4.00	200	10bar	£2,681	n/a	£3,479

WE CAN ALSO SUPPLY GRUNDFOS & LOWARA MULTISTAGE PUMPS IF PREFERRED - POA

8bar

11bar

13.5bar

The standard kits include 24 litre pressure set with motor starter & suitably rated overload & non-return valve for connection to a distribution main or hose on site.

£2,979

£3,372

£4,767

n/a

n/a

n/a

£4,012

£4,757

£6,099

The inverter kits offer variable speed drives with pressure transducer in place of the motor starter.

* These pumps are only available in three phase

5.50

7.50

11.00

VS16-6*

VS16-8*

VS20-10*

This is a selection of the single phase pumps that we offer.

Please contact us for a quotation for a different specification.

We also supply distribution pipework for a pressurised washdown main.

366

366

466



6

Drainage Pumps

Penstar

Penstar Sub	Penstar Submersible Pumps with float switch 7								
Model	Pump kW Solids Max. Head Max Flow								
	Body		Handling	m	l/min				
D400	Plastic	0.4	30mm	5	125	£64.00			
D550	Plastic	0.55	35mm	7	158	£72.00			
D900	Plastic	0.9	35mm	8.5	233	£98.00			
F1520	Cast Iron	1.1	50mm	12	500	£888.00			





Zenit Pumps	with Floatsw	itch				6
Model	Pump Body	kW	Solids Handling	Max. Head m	Max Flow I/min	PRICE
DR-Steel 25/2	Stainless Steel	0.25	12mm	8.5	120	£333.00
DR-Steel 37/2	Stainless Steel	0.37	12mm	13.6	150	£397.00
DR-Steel 55/2	Stainless Steel	0.55	12mm	12.4	300	£450.00
DR-Steel 75/2	Stainless Steel	0.75	12mm	16	330	£490.00
DG-Steel 37/2	Stainless Steel	0.37	40mm	8.7	180	£404.00
DG-Steel 55/2	Stainless Steel	0.55	40mm	8.1	330	£498.00
DG-Steel 75/2	Stainless Steel	0.75	40mm	10	360	£529.00
DG-Blue 50/2	Cast Iron	0.37	40mm	7.6	300	£374.00
DG-Blue 75/2	Cast Iron	0.55	40mm	10.1	360	£401.00
DG-Blue 100/2	Cast Iron	0.74	40mm	11.6	420	£489.00





Calpeda drainage pumps POA

Pentax Pumps with Floatswitch 6							
Model Pump Body kW Solids Max. Head Max Flow PRICE							
			Handling	m	l/min		
DH100G	Stainless Steel	1	12mm	19.4	300	£506.00	



Ebara Stainless Steel Pumps with Floatswitch 6								
Model	Solids	PRICE						
	Handling		m	l/min				
BEST-3	10mm	0.75	14	280	£981.00			
BEST-4	10mm	1.1	17.5	330	£1,077.00			



Lowara DIWA & DNM pumps POA



SEWAGE SYSTEMS

<u>Penstar Package Pumping Stations</u> offer an efficient and economic way of transferring domestic sewage to a main sewer or remote treatment plant.

For lower heads, we offer a vortex pumps and a 2" or 3" bore main is normally used.

The macerator pump is used with a 1 1/2" or 2" bore pumping main, normally black MDPE pipe underground.

We offer an optional single phase control panel which operates using two floats for a wider pumping range and more reliable switching. These panels incorporate a local high level alarm to warn of malfunction or blockage before the system overflows or backs up.



The package is supplied in kit form and can readily be assembled on site. We do offer an installation and commissioning service.

For larger or more complex applications, we can offer a dual pump package station. For private systems there is an option of remote monitoring by plc and modem and we also offer systems for adoption.



<u>Penstar Effluent Pumping Stations</u> - for sites where it is not possible to discharge septic tank effluent directly to a soakaway, we offer an effluent pumping station to transfer the sewage liquor to a remote soakaway.

<u>Penstar Lifting Stations</u> - compact pumping sets for a variety of sewage and waste water applications - waste water from a kitchen or shower, septic tank effluent, sewage from a single bathroom.

Our specialist engineers & trained technicians carry out trouble-shooting & maintenance service on existing plant or pumping stations.

Penstar maintenance contracts to provide the complete service.



SEWAGE TREATMENT

In addition to pumping stations, Penstar supplies treatment plant for dwellings or complexes which are not within easy reach of the main sewer.

Systems are designed to meet environment agency consent and the effluent can be discharged into a suitable watercourse, ditch or soakaway.

We also modify existing systems to meet current regulations.

See also - Penstar F1520 pump

KSB Ama F	KSB Ama Porter Vortex Pump with float switch 8							
Model	kW	W Solids Max. Head Max Flow		PRICE				
		Handling	m	l/min				
501	0.75	45mm	11.5	390	£650.00			
502	1.1	43mm	13.5	420	£856.06			
503	1.1	41mm	16	480	£856.06			
601	0.75	60mm	8	500	£1,014.74			
602	1.1	58mm	10	600	£1,085.35			
603	1.1	56mm	12	660	£1,750.00			



This price includes the portable installation kit.

PIPEWORK for KSB Ama Porter pumping systems:

3" bore PVC, with sockets: £30.00 per 6m length

Penstar Macerator Pumps 7							
Model kW Max. Head Max Flow PRICE							
		m	l/min	Pump	Control Box		
GRBL100	0.75	18	240	£932.00	n/a		
GRBL150	1.1	21	300	£1,117.00	n/a		
DTR200	1.5	23	300	£1,556.00	£129.00		
DTR300	2.2	26	300	£1,540.00	3ph		



ABS Piranha Macerator Pumps 8							
Model	kW	V Max. Head Max Flow PRICE					
		m	l/min	Pump	Connection*		
08	1	20	120	£872.00	n/a		
09	1.8	20	200	£987.00	n/a		
S12/2	1.2	22	135	£1,862.00	£222.00		
S17/2	1.7	30	150	£2,103.00	£222.00		



^{*} This kit includes a base and connection for free standing installation

Grundfos Macerator Pumps 3							
Model kW Max. Head Max Flow PRICE							
		m	l/min	Pump	Control Box		
SEG40.09	1	14	250	£2,761.00	£300.00		
SEG40.12	1.8	20	280	£2,761.00	£300.00		

The pump price includes the portable installation kit.

The listed sewage pumps are for free-standing installation.

We can offer pedestals and kits for fixed installations using guide rails.



Penstar Domestic Sewage Pumping Stations

Penstar F Vortex pumps can be used on domestic sewage & as the solids clearance is 50mm a 2" discharge pipe can be used.

KSB Ama Porter Vortex pump has a larger clearance with a solids handling capability of up to 60mm, requiring a minimum of 2½" pumping main.

Penstar GRBlue & DTR Grinder pumps are an economic range of macerators, requires minimum pipe size 1½" or 2" for DTR.





Pump		7	Гank	Pipe	Single	Dual
		litres	Туре	Size	£	£
	F1520A	800	Polyethylene	2"	1841.00	3766.00
	Vortex	1100	Polyethylene	2"	1909.00	3843.00
	1.1kW	1400	Polyethylene	2"	1911.00	3855.00
		1350*	Concrete	2"	-7459.00	-5535.00
	GRBlue	800	Polyethylene	2"	1652.00	3388.00
	Grinder	1100	Polyethylene	2"	1720.00	3465.00
	0.75kW	1400	Polyethylene	2"	1722.00	3477.00
		1350*	Concrete	2"	-7648.00	-5913.00
	DTR200	800	Polyethylene	2"	2635.00	5102.00
	Grinder	1100	Polyethylene	2"	2703.00	5179.00
	1.5kW	1400	Polyethylene	2"	2705.00	5191.00
		1350*	Concrete	2"	-6665.00	-4199.00
	Ama Porter	800	Polyethylene	21/2"	2308.35	n/a
	Vortex	1100	Polyethylene	2½"	2376.35	4652.70
	1.1kW	1400	Polyethylene	21/2"	2378.35	4664.70
		1350*	Concrete	21/2"	-6991.65	-4725.30

Systems include pre-assembled pipework for free-standing installation. Pumps can be easily fitted into the tank on site with union connections.

High Level Alarm

Basic high level alarm panel with float switch: £128.00

Dual float control system with high level alarm: £469.00

Dual pump systems include a control panel with automatic pump sequencing & high level alarm.

Dual systems operate with float switches – additional for ultrasonic level control: £265.00

^{*} Concrete tanks supplied with internal equipment as a kit.

Pressure Vessels

Pressure sets include: Vessel

Pressure switch
Pressure gauge
Manifold





Penstar

5

Connection	hose	(horizontal	only

Size	Connection	Vertica	Vertical 10 bar		Horizontal 10 bar		
(litres)	Bsp	Vessel	Set	Vessel	Set	16 bar	
8	1"	£41.00	£107.34	-	-	-	
24/25	1"	£73.00	£139.34	£76.00	£172.34	£165.00	
60	1"	£142.00	£208.34	£184.00	£280.34	-	
80	1"	£224.00	£290.34	£224.00	£320.34	£1,059.00	
100	1"	£246.00	£312.34	£285.00	£381.34	£1,116.00	
200	11/4"	£528.00	£594.34	-	-	-	
300	11/4"	£637.00	£703.34	£1,303.00	£1,399.34	£2,089.00	
450	1½"	£1,010.00	£1,076.34	-	-	£2,680.00	

Pressure Swi	tches				
		Rating	No of poles	Max. Amps	PRICE
FILE	PT5	5bar	3 x NC	16	£40.00
	PT12	12bar	3 x NC	16	£20.00
	FSG2/dry run	4.6bar	2 x NC	10	£50.00
	6XMP	6bar	3 x NC	16	£40.00
	12XMP	12bar	3 x NC	16	£40.00
	HLP506	6bar	1xNO	12	£35.00
	B12DN	16bar	1xNC	16	£75.00

Pressure Transducers			
11000010 1101100000	Range	Output	PRICE
	0.25bar	4-20mA	£135.00
	0.5bar	4-20mA	£10,000.00
	6bar	4-20mA	£99.00
	10bar	4-20mA	£90.00
	16bar	4-20mA	£10,000.00
	25bar	4-20mA	£99.00

Pressure Gaug	Pressure Gauges 7						
recours suag		Range	Diameter	Case	PRICE		
	PG6	6bar	63mm (2½")		£19.00		
	PG12	12bar	63mm (2½")	Stainless	£19.00		
	PG16	16bar	63mm (2½")	Steel Glycerine -	£23.00		
U	PG25	25bar	63mm (2½")	Filled	£23.00		



Float Switches				6
	Action	Cable	Max Amps	PRICE
General Purpose	Double	2m	16	£27.00
General Purpose	Double	10m	16	£37.00
Suspended Float	Double	n/a	10	£59.00
H/D (Sewage)	Single	10m	10	£55.00
Conductivity Prob	es			
Standard single	n/a	extra	n/a	£12.00
HD double	n/a	10m	n/a	£35.00



Aquatel Wireless Level Systems 3				
Monitor System	D110	Monitor kit	£299.00	
	T110	Extra tank	£180.00	
Pump Control System	M107BT	Controller kit	£645.00	
Accessories	Tank senso	or bracket	£14.00	
	3.6m anten	na extension kit	£19.00	
	Booster and	tenna	£129.00	

Flow Control



Flow Switches	Flow Switches 7				
Туре	Size	Min Flow	Max Amps	PRICE	
bsp connection	1" - 10AR	0.6 l/min	10(4)	£39.00	
bsp connection	1" - PLC	0.6 l/min	n/a	£49.00	
Insertion type (adj)	1" to 8"	0.5 l/min*	16(6)	£69.00	
* Depends on pipe size					



Flow Demand Controllers 7					
	kW	Pressure	Max Amps	PRICE	
Econo-Presscontrol (1")	1.1	1.5bar	6	£53.00	
Presscontrol(1")	1.5	1.5bar	8	£74.00	
Mascontrol (11/4")	2.2	1.5bar	16	£112.00	
Controlpress (11/4")	2.2	adj. 3-6.5bar	16	£125.00	



Start/Breaker Boxes		6
With overload protection	Rating	PRICE
Thermal Breaker box	1.6-2.5A	£40.00
	2.5-4A	£40.00
	4-6.3A	£40.00
	6-9A	£40.00
	9-13A	£44.00
	12-17A	£44.00
Electromagnetic Starter Box	9A	£119.00
	12A	£127.00
	18A	£152.00



Inverter Drive Kits		5
	Rating	PRICE*
	0.75kW	£522.00
	1.5kW	£680.00
	2.2kW	£682.00
	4.0kW	£972.00

- 1 phase input & 3 phase output for variable speed operation
- * Excludes pressure transmitter.









Penstar Control Panels

Туре	Use	PRICE		
LV switch unit	With float switch or flow switch	£126.00		
Cut-out unit	To fill tank automatically without cabling	£395.00		
Dual level controls	For boreholes or sewage pumps	£131.00		
Text Alert Unit	Dialler unit with SIM card to send SMS messages.	£425.00		
Alarm panel	Warning of high/ low tank level or high/low system pressure	£91.00		
Dual Booster Set	Basic electronic panel	£250.00		
	Penstar flexible system with microprocessor*	£695.00		
Dual Sewage Pump Control	Basic electronic panel	£250.00		
	Penstar flexible system with microprocessor*	£510.00		
	* Text alert can be added for additional	£325.00		

Please contact us for control panels for other applications.



WATER TREATMENT & PURIFICATION SYSTEMS

- Ultraviolet Sterilisation
- Sediment Removal
- Ozone Treatment
- ► Metals Removal
- De-scalers
- Softeners
- Nitrate Removal
- Deionisers
- Chlorination
- Dosing
- Boiler Feed Water



EQUIPMENT SUPPLY

Our experienced technical support department can advise you on the most suitable equipment to provide a potable water supply or treat your water for a particular process.

We supply from our trade counter or we can arrange delivery as required.



COMPLETE SERVICE

Armed with your requirements we can engineer the most suitable system through from conceptual to detailed design.

We offer installation and commissioning by our own specialist technicians, together with troubleshooting and maintenance on existing plant.

Penstar comprehensive maintenance contracts to provide the complete service.

Water Treatment Equipment

FILTER HOUSINGS

Plastic filter housings to fit industry standard cartridges.

"Standard" size(also slimline or clear) are 63mm diameter, lengths 5", 10" or 20".

"LD" (Large diameter) are 113mm diameter, lengths 10" or 20".



	Size	Ports		Price	
			Housing	Bracket	Spanner
CARTRIDGE	5" Slimline	1/2"	£25.00	£9.56	£12.15
HOUSINGS	5" CI Slimline	1/2"	£17.50	£9.56	£12.15
	10" Slimline	1/2"	£55.55	£9.56	£12.15
	20" Slimline	1/2"	£0.00	£9.56	£12.15
	10" Standard	3/4"	£28.00	£15.00	£8.00
	10"Clear	3/4"	£25.00	£15.00	£8.00
	20" Standard	3/4"	£56.00	£15.00	£8.00
	10" Standard	1"	£34.00	£15.00	£8.00
	10"Clear	1"	£38.00	£15.00	£8.00
	20"Clear	1"	£60.00	£15.00	£8.00
	10" LD	1"	£96.00	£31.75	£18.00
	20" LD	1 1/2"	£137.84	£31.75	£18.00
BAG	10" PBH	1"	£414.82	£31.75	£18.00
HOUSINGS	20" PBH	1 1/2"	£475.63	£31.75	£18.00

SEDIMENT CARTRIDGES		Size	Micron		PRICE	5
			Rating *	1+	10+	25+
SPUN-BONDED CARTRIDGES 5'		5" Standard	5	£3.15	£2.70	£2.25
	100% Polypropylene	10" Standard	1, 5, 10	£3.15	£2.57	£2.25
1	microfibre structure	20" Standard	1, 5, 10, 50	£6.29	£5.44	£4.59
i i	allowing high flowrates	10" LD	1, 5, 10, 20	£18.75	£17.58	£16.41
		20" LD	1, 5, 10, 50	£37.50	£33.48	£30.80
WOUND CARTRIDG	GES	10" Standard	1, 5, 10, 30	£4.22	£3.79	£3.42
	100% Polypropylene	20" Standard	1, 5, 10, 30	£8.44	£7.60	£6.75
		10" LD	1, 5, 10, 30	£28.57	£24.14	£19.32
	a central core	20" LD	1, 5, 10, 30	£61.90	£55.71	£49.52
PLEATED CARTRID	OGES	10" Standard	5, 30	£13.81	£11.66	£10.36
	Durable polyester fabric	10" LD	5, 30	£28.57	£24.14	£19.32
,	which can be washed					
	& re-used					
GAUZE CARTRIDGE	ES	10" Standard	80	£12.00	£10.73	£9.47
	Washable mesh used for prefiltration					
FILTER BAGS	acca for promitation	10"	5, 10	£8.32	£7.13	£5.94
	Polypropylene bags for	-	5, 10	£11.15	£8.82	£7.94
	high flow applications.		-, -			
	Nylon mesh is also					
	available.					
No.						
		* Other micron	ratings availal	ble – P O A		

Penstar

CHEMICAL CARTRIDGES		Size		PRICE	5
			1+	10+	25+
CARBON CARTRIDGES		5" Standard	£0.00	£0.00	£0.00
	Used for the removal of		£15.55	£14.00	£12.44
	tastes, odours, chlorine	20" Standard	£23.84	£21.46	£19.07
	& volatile organic	10" LD	£34.00	£30.60	£27.20
	compounds	20" LD	£68.01	£61.21	£54.41
ANTI-SCALE CART	ANTI-SCALE CARTRIDGE		£20.00	£18.00	£16.00
	Hard water treatment to prevent scaling				
MRC CARTRIDGE		10" LD	£163.88	£147.49	£131.10
N. ST. A.	Used for the reduction of dissolved iron	20" LD	£262.00	£235.80	£209.60

POINT-OF USE	FILTERS			5	
			PR	ICE	
NITRATE AND DE	IONISATION FILTER KIT	S	Kit	Cartridge	
		Nitrate remova	al kit		
	With separate tap	10" Standard	£74.50	£29.00	
		20" Standard	£122.50	£58.00	
Ţ		Deionisation kit			
		10" Standard	£74.50	£62.18	
		20" Standard	£122.50	£106.22	
CRISTAL-SOFT			Unit	Re-fill	
GERT AN	In-line antiscaling unit		£8.95	£5.00	
	for washing machines &				
	dishwashers				

ACID WA	TER TREATMENT UNITS		3
		Size	Price
	ľ	817	£199.00
	The in-line unit uses calcium &	835	£248.00
Denstar	magnesium minerals to	1023	£160.00
	neutralise the water & reduce	1044	£364.00
	the corrosivity.	1054	£402.00
	-	1354	£563.00
	Replacement medium also	1465	£808.00
	supplied.	1665	£1,678.00

DOSING PUMPS			7				
	Etatron eOne M frequency (max for under and o dosing.	. 300 strokes	/min), wate	er meter inp	ut, alerts		
	Model Mode Flow Pressure Pr						
	DPEMF0110	Automatic	1 l/hr	10 bar	£677.00		

CRYSTAL RIGHT FILTERS for Iron & Manganese Reduction

Ion-exchange using Crystal Right 100 for the reduction of iron and manganese in neutral or hard waters. Automatic regeneration using salt.

Crystal Right Evolve filters have a built-in chlorine generator to disinfect the bed.



Size	Volume	Flow	Flowrate		ICE
	Litres	m³/hr	litres/min	Standard	Evolve
1044	28	1	16.67	£680.00	n/a
1054	42	1.5	25	£735.00	£958.00
1354	72	2	33.33	£1,089.00	£1,181.00
1465	99	2.5	41.67	£1,328.00	£1,532.00
1665	127	3	50	£1,615.00	n/a
1865	170	4	66.67	£2,029.00	n/a

PYROLOX FILTERS for Iron & Manganese Reduction

Catalytic filters using manganese dioxide mineral for oxidation and filtration of iron and manganese.

They are also effective for the removal of hydrogen sulphide.

An oil free compressor is included to augment the backwash process and also some bed re-oxygenation. If the pH of the water is low an adjustment medium is incorporated into the bed.

Small quantities of potassium permanganate may also be used for greater bed re-oxygenation.



Size	Flowrate (standard)		Flowrate (p	PRICE	
	m³/hr	litres/min	m³/hr	litres/min	
1054	0.9	15	0.75	12.5	£2,170.00
1354	1.8	30	1.5	25	£2,551.00
1465	2.3	38.33	1.92	32	£2,714.00
1665	3.6	60	3.0	50	£3,111.00
1865	4.5	75	3.75	62.5	£3,650.00

WATER SOFTENERS

A range of domestic and commercial softeners with timed or metered regeneration using salt.

3

7





Domestic Cabinet Softeners		Flowrate		PRICE		
	Size		m³/hr	litres/min	Timed	Metered
	817	10	0.4	6.67	£746.00	£810.00
	735	15	0.6	10	£770.00	£851.00
	835	25	1	16.67	£809.00	n/a
	1035	35	1.4	23.33	£876.00	£946.00
Commercia	l Softeners					

Commercia



ia	l Softeners					
	835	20	0.8	13.33	n/a	£773.00
	1035	30	1.2	20	n/a	£689.00
	1044	40	1.6	26.67	n/a	£951.00
	1054	50	2	33.33	n/a	£979.00
	1354	75	3	50	n/a	£1,145.00

These softeners use Autotrol controllers. Siata controllers available P.O.A,

Water Treatment Equipment



Our domestic range of ultraviolet sterilisers provide a robust, reliable, trusted high performance unit at an economical price.

Model	Chamber	Watts Flowrate Recommended I/min* Prefilter		Price	
UVECO1	Stainless Steel	15	11 (8)	5" Slimline	£351.00
UVECO2	Stainless Steel	30	28 (19)	10" Standard	£419.00
UVECO3	Stainless Steel	55	47 (36)	20" Standard	£446.00

SAPHIR RANGE OF ULTRAVIOLET STERILISERS

5



The SAPHIR range of ultraviolet sterilisers provide a robust, reliable, efficient unit using stainless steel disinfection chambers & employing the latest UV lamp technology.

Model	Chamber	Watts	Flowrate I/min*	Recommended Prefilter	Price				
SAPHIR 1	Stainless Steel	15	17.5(12)	10" Slimline	£446.00				
SAPHIR 2	Stainless Steel	25	30(20)	10" Standard	£491.00				
SAPHIR 3	Stainless Steel	45	53.3(35)	10" LD	£522.00				
SAPHIR 4	Stainless Steel	36	60.8(42)	10" LD	£666.00				
SAPHIR 7	Stainless Steel	65	116.3(80)	20" LD	£1,049.00				
SAPHIR 10	Stainless Steel	65	160(110)	20" Bag	£1,526.00				
PRO model – PO	PRO model – POA Xylem Aquada models – POA								

^{*} The listed flow is for clean water. The normal recommended flowrate for domestic water is in brackets.

REPLACEM	IENT LAMPS				
Standard	15W	£21.50	SAPHIR 1	15W	£25.00
	30W	£21.50	SAPHIR 2	25W	£25.00
	55W	£25.00	SAPHIR 3	45W	£60.00
			SAPHIR 4	36W	£35.00
			SAPHIR 7 ar	nd 10 65W	£64.00

Irrigation Systems

Penstar

- Penstar has expertise in design of efficient and cost-effective irrigation schemes.
- We supply a range of equipment suitable for a wide variety of irrigation applications.
- Our site technicians carry out an installation service guaranteed for 12 months.
- Our experienced engineers will commission computer control equipment.
- We offer a reliable maintenance service backed by a large range of spares.

Stand	tandard Sprinklers								Part Circle Sprinklers			
				a y				-				
Rotofr	ame	Brown	ing	Naan	501	Microspr	inkler	Plastic		Metal		
1/2"	£11.88	1/2"	£2.05	1/2"	£6.00		£2.21	1/2"	£16.12	1/2"	£20.35	
3/4"	£12.27							3/4"	£20.90	3/4"	£39.60	
					-				-			

Pop-	up Spri	nklers				Sprink	Sprinkler Bases					
						-		-	[/	5	
Whis	per	Full/Par	t Circle	Popstar	Plus	Metal S	led	Plastic	Sled	Cobra		
1/2"	£0.00	3/4"	#N/A	3/4"	£23.71	1/2"	£45.76	1/2"	£7.50	3/4"	£30.03	
		1"	£41.70			3/4"	£40.54					
Toro	or Huntei	Pop Up	Sprink	ders P.	O.A.	1"	£46.04		3			
Travelling Irrigators Rain Train economy Leader 20T-Heavy duty automa						£121.00 £795.00	A Comment					

Please contact us for information on golf course & sports field systems



Description		20mm	25mm	32mm	40mm	50mm	63mm	90mm
Coupling	PAJ	£2.75	£3.75	£4.75	£7.75	£10.60	£15.60	£30.60
Elbow	PAE	£2.80	£3.50	£5.50	£9.50	£12.50	£16.50	£59.50
Tee	PAT	£3.75	£5.50	£7.50	£12.50	£14.50	£25.00	£58.50
Tee – Female Branch	PATBF	£3.50	£5.50	£7.00	£10.00	£15.00	£23.00	£45.00
Tee – Male Branch	PATBM	£3.50	£5.00	£6.00	£10.00	£13.00	£19.00	£45.00
Male Adapter	PAM	£1.75	£2.25	£3.50	£6.00	£8.50	£11.50	£22.62
Male Elbow	PAME	£2.50	£2.75	£3.50	£6.00	£8.00	£10.00	£39.00
Female Adapter	PAF	£2.50	£2.75	£3.50	£6.50	£9.00	£12.50	£23.50
Female Elbow	PAFE	£2.25	£3.25	£5.00	£8.80	£11.00	£14.50	£39.00
End Cap	PAEC	£3.00	£3.50	£4.50	£7.00	£9.50	£15.50	£51.50
Bag Quantity		20	10	10	5	5	5	5

Special prices available for full bags.

Threaded Plastic Fittings

Description			1/2"	3/4"	1"	11⁄4"	1½"	2"	3
Reducing Bush *	PLBR		£0.85	£0.28	£0.39	£0.60	£0.75	£1.40	£5.05
Nipple	PLN		£0.14	£0.17	£0.36	£0.51	£0.61	£0.88	£2.12
Reducing Nipple *	PLNR	and a section	£1.95	£27.00	£0.39	£0.54	£0.58	£0.88	-
Socket	PLS	13-	£0.31	£0.33	£0.45	£2.44	£1.71	£7.47	£8.22
Elbow	PLET		£0.64	£0.77	£0.96	£1.66	£2.67	£3.55	£14.44
M/F Elbow	PLETMF		£0.49	£0.61	£0.79	£3.87	-	-	-
Tee	PLTT	T	£0.84	£1.03	£1.18	£2.04	£3.18	£4.75	£20.30

^{*} The larger size is listed

Penstar

Valves

	Strain	ers		Non-	-return Va	ılves		Pressure Valves	
	St. Steel	Brass Y	Brass	St. Steel	Swing check	Sewage	Flanged	Reducing	Relief
					ott.				
Size									
1/4"	-	-	-	p.o.a.	-	-	-	-	-
3/8"	-	£8.67	£7.10	p.o.a.	-	-	-	-	£19.00
1/2"	£1.05	£8.67	£7.00	p.o.a.	-	-	-	£47.00	£36.00
3/4"	£2.00	£14.38	£10.00	p.o.a.	£8.30	-	-	£52.00	£51.00
1"	£2.00	£28.17	£13.00	£33.00	£12.50	£65.00	-	£76.00	£73.00
11/4"	£1.88	£50.32	£20.00	£40.00	£19.60	£71.00	-	-	£100.00
1½"	£4.00	£59.98	£28.00	£52.00	£31.00	£81.00	-	£174.00	£127.00
2"	£5.00	£159.59	£38.00	p.o.a.	£42.00	£102.00	-	£267.00	-
2½"	£5.63	£122.40	£71.00	p.o.a.	£66.00	£140.00	-	-	-
3"	£6.93	£179.30	£99.00	p.o.a.	£125.00	£125.00	£160.00	-	-
4"	£9.25	£376.65	£173.00	p.o.a.	£200.00	p.o.a.	£185.00	-	-

LARGER VALVES - P.O.A.

	E	Ball-valve	s		Gate Va	alves	Butterfly Valves
	Brass	St. Steel	PVC	PVC Union	Brass	Flanged	Cast-disc
Size				6	3		
1/4"	£4.80	£10.00	-	-	-	-	-
3/8"	£4.80	£11.60	-	-	£5.30	-	-
1/2"	£5.10	£14.30	£4.70	£7.60	£6.50	ı	-
3/4"	£16.00	£24.00	£6.18	£8.80	£8.60	-	-
1"	£15.00	£34.00	£8.75	£9.75	£22.70	-	-
11⁄4"	£23.00	£49.00	£12.00	£14.50	£15.65	-	-
1½"	£36.00	£70.00	£17.46	£15.60	£21.25	-	-
2"	£52.00	£98.00	£24.00	£26.50	£29.55	-	£57.00
2½"	£98.00	p.o.a.	£46.96	£117.00	£47.70		£63.00
3"	£90.00	p.o.a.	-	£149.00	£65.10	£209.00	£76.00
4"	£68.00	p.o.a.	£89.00	£171.00	£155.00	£308.00	-

Penstar Services

FREE ADVICE: No charge is normally made for our design engineers to

carry out an initial site survey when they are visiting your area and advise you on the most suitable and efficient

system for your particular application.

DESIGN: Our highly trained engineers, using the latest computer

aids, will provide a quick and accurate design, minimising

cost and maximising reliability.

CONSULTANCY: Our consultancy service is available for more complex

studies or where a detailed specification is required.

INSTALLATION: We offer an installation package for our own systems,

turnkey projects and installation of other equipment where

required.

COMMISSIONING: We undertake commissioning of systems designed and

supplied by others in addition to our own projects.

WARRANTY: All our systems are guaranteed to operate as specified,

subject to correct information being supplied by the client. Our installations are covered by a *full 12 month on-site*

warranty.

MAINTENANCE: Our experienced technicians carry out full back-up

maintenance using our large stock of spares. This includes emergency call-out service during weekends and

holiday periods.

We offer maintenance contracts covering routine service in

addition to breakdown.

We are situated 4 miles south of Cardigan on the A478.



Penstar Ltd.			
Rhoshill	www.penstar.co.uk	Tel: 01239-841458	
Cardigan, SA43 2TX	email: info@penstar.co.uk	Fax: 01239-393393	